



Dimock Daily Report - April 20, 2012

LaRonda Koffi to: Kathy Hodgkiss

04/20/2012 02:44 PM

From: LaRonda Koffi/R3/USEPA/US

To: Kathy Hodgkiss/R3/USEPA/US@EPA

Date: April 20, 2012

FIELD ACTIVITY

Water Supply (Gerald Heston)

- Provision of alternate water continues to keep water tanks filled.

Water Sampling (Gerald Heston)

- No homes sampled today; no additional homes scheduled yet.

Dimock Sampling Summary

Week	Homes Sampled	Homes Receiving Water	Proposed for resampling
1	11	3	5
2	20	0	1
3	17	0	2
4	9	1	TBD (minimum of 1)
Post - Week 4	4	0	TBD (*)
Totals	61	4	TBD (Minimum of 9)

Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more contaminants were found at the tap at concentrations above the trigger level established for that contaminant. Total number of homes to be resampled subject to final comprehensive review of 1st round results.

* = Data not final yet

COMMUNICATIONS (Gerald Heston)

- Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.
- 16 of the 17 homes sampled during Week 3 have received their data packages. The seventeenth resident is believed to be on vacation or otherwise unavailable. Individual data packages for the 16 homes and the compilation report (47 homes so far) are available on the Dimock website.

CONGRESSIONAL

- None reported.

LEGAL ISSUES

- None reported.

Please let me know if you have questions.